

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

## \* 1 Identification

- . **Product identifier**
- . **Trade name** POLYESTER-POLYURETHANE
- . **Article number:** 2/3/4/5/8 (44)
- . **Application of the substance / the mixture** Powder coating material
- . **Manufacturer/Supplier:**

**USA:**

TIGER Drylac U.S.A., Inc.  
3945 Swenson Ave  
St. Charles, IL 60174  
Phone: +1- 630-587-2918  
Fax: +1-630-587-2923

**Canada:**

TIGER Drylac Canada Inc.  
110 Southgate Drive  
Guelph, Ontario, N1G 4P5  
Phone: +1-519-766-4781  
Fax: +1-519-766-4787

**Mexico**

TIGER Drylac Mexico S.A. de C.V.  
Circuito Exportación 212, Parque Industrial Tres Naciones  
San Luis Potosí, SLP, C.P. 78395  
Phone +52-444-799-7243  
Fax +52-444-799-7244

- . **Informing department:** Product Safety Department
- . **Emergency telephone number:** 24/7:1-800-255-3924; International:+01 or +001-813-248-0585

## \* 2 Hazard(s) identification

- . **Classification of the substance or mixture**  
Combustible Dust      May form combustible dust concentrations in air.

**Label elements**

**GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms** Void

**Signal word** Warning

**Hazard statements**

May form combustible dust concentrations in air.

**Classification system**

**NFPA ratings (scale 0-4)**



Health = 1  
Fire = 1  
Reactivity = 1

**HMIS-RATINGS (SCALE 0 - 4)**



Health = 1  
Fire = 1  
Reactivity = 1

**Other hazards**

**Results of PBT and vPvB assessment**

- . **PBT:** Not applicable.

(Contd. on page 2)

US

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 1)

. vPvB: Not applicable.

### \* 3 Composition/information on ingredients

- . **Chemical characterization: Mixtures**
- . **Description:** Mixture consisting of the following components with harmless additives.

- . **Hazardous ingredients:**

21645-51-2	aluminium hydroxide	10-25%
7727-43-7	barium sulphate, natural	10-25%
13463-67-7	titanium dioxide	2.5-10%

- . **Additional information** For the wording of the listed hazard phrases refer to section 16.

### \* 4 First-aid measures

- . **Description of first aid measures**
- . **General information** No special measures required.
- . **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- . **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- . **After eye contact** Rinse opened eye for several minutes under running water.
- . **After swallowing** In case of persistent symptoms consult doctor.
- . **Information for doctor**
- . **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- . **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### \* 5 Fire Fighting Measures

- . **Extinguishing media**
- . **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- . **Special hazards arising from the substance or mixture**  
No further relevant information available.
- . **Advice for firefighters**
- . **Protective equipment:** No special measures required.

### \* 6 Accidental release measures

- . **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Avoid causing dust.
- . **Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- . **Methods and material for containment and cleaning up:** Collect mechanically.
- . **Reference to other sections**  
No dangerous materials are released.  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.
- . **Protective Action Criteria for Chemicals**

- . **PAC-1:**

21645-51-2	aluminium hydroxide	8.7 mg/m <sup>3</sup>
7727-43-7	barium sulphate, natural	15 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	30 mg/m <sup>3</sup>
7631-86-9	silicon dioxide, chemically prepared	18 mg/m <sup>3</sup>
1344-28-1	aluminium oxide	15 mg/m <sup>3</sup>
112926-00-8	Silicon dioxide	18 mg/m <sup>3</sup>

(Contd. on page 3)

- US -

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

**Trade name POLYESTER-POLYURETHANE**

(Contd. of page 2)

105-60-2	epsilon-caprolactam	3 mg/m <sup>3</sup>
77-58-7	dibutyltin dilaurate	1.1 mg/m <sup>3</sup>
1314-23-4	zirconium dioxide	14 mg/m <sup>3</sup>
471-34-1	calcium carbonate	45 mg/m <sup>3</sup>
14808-60-7	quartz (SiO <sub>2</sub> )	0.075 mg/m <sup>3</sup>
<b>. PAC-2:</b>		
21645-51-2	aluminium hydroxide	73 mg/m <sup>3</sup>
7727-43-7	barium sulphate, natural	170 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	330 mg/m <sup>3</sup>
7631-86-9	silicon dioxide, chemically prepared	740 mg/m <sup>3</sup>
1344-28-1	aluminium oxide	170 mg/m <sup>3</sup>
112926-00-8	Silicon dioxide	200 mg/m <sup>3</sup>
105-60-2	epsilon-caprolactam	40 mg/m <sup>3</sup>
77-58-7	dibutyltin dilaurate	8 mg/m <sup>3</sup>
1314-23-4	zirconium dioxide	110 mg/m <sup>3</sup>
471-34-1	calcium carbonate	210 mg/m <sup>3</sup>
14808-60-7	quartz (SiO <sub>2</sub> )	33 mg/m <sup>3</sup>
<b>. PAC-3:</b>		
21645-51-2	aluminium hydroxide	440 mg/m <sup>3</sup>
7727-43-7	barium sulphate, natural	990 mg/m <sup>3</sup>
13463-67-7	titanium dioxide	2,000 mg/m <sup>3</sup>
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m <sup>3</sup>
1344-28-1	aluminium oxide	990 mg/m <sup>3</sup>
112926-00-8	Silicon dioxide	1,200 mg/m <sup>3</sup>
105-60-2	epsilon-caprolactam	240 mg/m <sup>3</sup>
77-58-7	dibutyltin dilaurate	48 mg/m <sup>3</sup>
1314-23-4	zirconium dioxide	680 mg/m <sup>3</sup>
471-34-1	calcium carbonate	1,300 mg/m <sup>3</sup>
14808-60-7	quartz (SiO <sub>2</sub> )	200 mg/m <sup>3</sup>

## \* 7 Handling and storage

- . Handling
- . **Precautions for safe handling** No special measures required.
- . **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

Dust can combine with air to form an explosive mixture.

- . **Conditions for safe storage, including any incompatibilities**
- . **Storage**
- . **Requirements to be met by storerooms and containers:**  
Store only in the original container.  
Static charges may build up in the powder
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:** None.
- . **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

- . **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 3)

. **Control parameters**. **Components with critical values that require monitoring at the workplace:**

<b>21645-51-2 aluminium hydroxide</b>	
REL (U.S.A)	Long-term value: 2 mg/m <sup>3</sup> as Al
TLV (U.S.A)	Long-term value: 1* mg/m <sup>3</sup> as Al;*as respirable fraction
EL (Canada)	Long-term value: 10 mg/m <sup>3</sup>
<b>7727-43-7 barium sulphate, natural</b>	
PEL (U.S.A)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (U.S.A)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (U.S.A)	Long-term value: 5* mg/m <sup>3</sup> *inhalable fraction; E
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
LMPE (Mexico)	Long-term value: 10 mg/m <sup>3</sup>
<b>13463-67-7 titanium dioxide</b>	
PEL (U.S.A)	Long-term value: 15* mg/m <sup>3</sup> *total dust
REL (U.S.A)	See Pocket Guide App. A
TLV (U.S.A)	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
LMPE (Mexico)	Long-term value: 10 mg/m <sup>3</sup> A4

. **Additional information:**

The lists that were valid during the compilation were used as basis.

. **Exposure controls .**. **Personal protective equipment**. **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

. **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

. **Protection of hands:**

Protective gloves.

. **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 4)

**. Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**. Eye protection:**



Safety Glasses

**. Body protection:** Protective work clothing.

## \* 9 Physical and Chemical Properties

**. Information on basic physical and chemical properties**

**. General Information**

**. Appearance:**

Form: Solid  
 Colour: According to Trade Name

. Smell: Characteristic

. Odor threshold: Not determined

. pH-value: Not applicable

**. Change in condition**

Melting point/Melting range: > 50 C / 120F

Boiling point/Boiling range: Not applicable

. Flash point: Not applicable

. Inflammability (solid, gaseous) Not determined

. Decomposition temperature: Not determined

. Self-inflammability: Product is not selfigniting.

. Danger of explosion: Product is not explosive. However, formation of explosive air/dust mixtures is possible

**. Critical values for explosion:**

Lower: Not determined.

Upper: Not determined.

. Steam pressure: Not applicable.

. Density (Specific gravity) at 20 °C (68 °F) 1.51 g/cm<sup>3</sup> (12.6 lbs/gal)

. Relative density Not determined.

. Vapor density Not applicable.

. Evaporation rate Not applicable.

**. Solubility in / Miscibility with**

Water: Insoluble

. Partition coefficient (n-octanol/water): Not determined.

**. Viscosity:**

dynamic: Not applicable.

kinematic: Not applicable.

**. Solvent content:**

Organic solvents: 0.0 %

Solids content: 100.0 %

. Other information No further relevant information available.

## \* 10 Stability and Reactivity

. Reactivity No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 5)

- . **Chemical stability**
- . **Conditions to be avoided:** No decomposition if used according to specifications.
- . **Possibility of hazardous reactions** No dangerous reactions known
- . **Conditions to avoid** No further relevant information available.
- . **Incompatible materials:** No further relevant information available.
- . **Hazardous decomposition products:** In case of fire: CO, CO<sub>2</sub>, NO<sub>x</sub>

## \* 11 Toxicological Information

- . **Information on toxicological effects**
- . **Acute toxicity:**
- . **Primary irritant effect:**
- . **on the skin:** No irritant effect.
- . **on the eye:** No irritant effect.
- . **Sensitization:** No sensitizing effect known.
- . **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- . **Carcinogenic categories**

. <b>IARC (International Agency for Research on Cancer)</b>		
13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
112926-00-8	Silicon dioxide	3
105-60-2	epsilon-caprolactam	4
14808-60-7	quartz (SiO <sub>2</sub> )	1
. <b>NTP (National Toxicology Program)</b>		
14808-60-7	quartz (SiO <sub>2</sub> )	K
. <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

## \* 12 Ecological information

- . **Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **Persistence and degradability** No further relevant information available.
- . **Behaviour in environmental systems:**
- . **Bioaccumulative potential** No further relevant information available.
- . **Mobility in soil** No further relevant information available.
- . **Additional ecological information:**
- . **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- . **Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

- . **Waste treatment methods**
- . **Recommendation** Smaller quantities can be disposed with household garbage.

(Contd. on page 7)

US

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 6)

- . **Uncleaned packagings:**
- . **Recommendation:** Disposal must be made according to official regulations.

## \* 14 Transport information

- . **UN-Number**
- . **ADR, IMDG, IATA** N/A
- . **UN proper shipping name** N/A
- . **DOT, ADR, IMDG, IATA** N/A
- . **Transport hazard class(es)**
- . **DOT, IMDG, IATA**
- . **Class** Not regulated.
- . **Packing group**
- . **ADR, IMDG, IATA** N/A
- . **Environmental hazards:**
- . **Marine pollutant:** No
- . **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

## \* 15 Regulatory information

- . **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- . **SARA (Superfund Amendments and Reauthorization Act):**

### . Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

### . Section 313 (Specific toxic chemical listings):

7727-43-7	barium sulphate, natural
1344-28-1	aluminium oxide

### . TSCA (Toxic Substances Control Act):

All ingredients are listed.

### . TSCA new (21st Century Act) (Substances not listed)

### . Proposition 65:

#### . Chemicals known to cause cancer:

13463-67-7	titanium dioxide
------------	------------------

#### . Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### . Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### . Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### . Cancerogenity categories

#### . EPA (Environmental Protection Agency)

7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)
-----------	--------------------------	-----------------------

#### . TLV (Threshold Limit Value established by ACGIH)

13463-67-7	titanium dioxide	A4
1332-58-7	kaolin	A4
1344-28-1	aluminium oxide	A4
105-60-2	epsilon-caprolactam	A5
77-58-7	dibutyltin dilaurate	A4
1314-23-4	zirconium dioxide	A4

(Contd. on page 8)

# Safety Data Sheet

acc. GHS

Printing date 11/09/2017

Reviewed on 11/09/2017

Trade name **POLYESTER-POLYURETHANE**

(Contd. of page 7)

14808-60-7	quartz (SiO <sub>2</sub> )	A2
<b>. NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
13463-67-7	titanium dioxide	
14808-60-7	quartz (SiO <sub>2</sub> )	

**. GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**. Hazard pictograms** Void**. Signal word** Warning**. Hazard statements**

May form combustible dust concentrations in air.

**. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**\* 16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**. Date of preparation / last revision** 11/09/2017 / -**. Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

**. \* Data compared to the previous version altered.**

US